

Order: (888)-282-5810 (Phone) (818)-707-0392 (Fax) order@abiocode.com Web: www.Abiocode.com

HOXC13 (vPair[™]) Antibodies

Cat#: R2547-vp Predicted I Observed M.W.: 35 kDa Lot#: Refer to vial Uniprot ID: P31276

Application: WB

Quantity: 50 ul HOXC13 (N) (R2547-1) Rabbit Polyclonal Antibody & 50 ul HOXC13 (M) (R2547-2) Rabbit Polyclonal Antibody

Product Introduction:

vPair[™] antibodies represent a pair of fully characterized antibodies that recognize two different regions of a target protein. The product is developed by Abiocode to address whether the signal observed truly represents the protein of interest, an often encountered issue in antibody-based assays. The use of a pair of fully characterized vPair[™] antibodies in the same assay can validate signal specificity since vPair[™] antibodies recognize two independent epitopes of the same protein. Different sets of vPair[™] antibodies are developed at Abiocode to work with specific applications, including antibody arrays, Western blot, IP-Western, ChIP, IHC, and FACS.

Background:

Homeobox protein Hox-C13 (HOXC13) belongs to the Abd-B homeobox family. HOXC13 is a transcription factor which plays a role in hair follicle differentiation. HOXC13 also regulates FOXQ1 expression and that of other hair-specific genes.

Other Names:

Homeobox protein Hox-C13, Homeobox protein Hox-3G, HOX3G

Source and Purity:

Rabbit polyclonal antibodies were produced by immunizing animals with GST-fusion proteins containing either the N-terminal [HOXC13 (N) (R2547-1)] or the middle [HOXC13 (M) (R2547-2)] region of human HOXC13. Antibodies were purified by affinity purification using immunogen.

Storage Buffer and Condition:

Supplied in 1 x PBS (pH 7.4), 100 ug/ml BSA, 40% Glycerol, 0.01% NaN₃. Store at -20 °C. Stable for 6 months from date of receipt.

Species Specificity:

Human, Mouse



Tested Applications:

WB: 1:1,000-1:3,000 (detect endogenous protein*)

*: The apparent protein size on WB may be different from the calculated M.W. due to modifications.

Product Data:




Fig 1. Western blot of total cell extracts from A) mouse brain, B, D) mouse thymus, C, E) human HeLa, F) human Jurkat; using 2 independent Abs against 2 distinct regions of human HOXC13 at RT for 2 h.